

# Better Performance Better Value

Flexible Picking Solutions for  
Your Warehouse



# ForwardX Max AMRs

## Point-to-point, end-to-end smart logistics

The Max series brings the flexibility of the Flex series to the larger and heavier goods and materials in the warehouse. With load capacities of up to 1,322 lbs, Max AMRs are suited for pallet- and case-picking for B2B retail store replenishment and B2C eCommerce fulfillment.

The Max L series is equipped with a lifting function, that when combined with the onboard sensors and cameras allows the AMRs to autonomously locate pallets or other larger racks and work with forklifts to automate pallet-based receiving, putaway, replenishment, raw material movement, and shipping workflows.



Max 600



Max 600-L



Max 600



Max 600-L

**Dimensions**

Length	1,380 mm (58.33 in)	1,380 mm (58.33 in)
Width	900 mm (35.43 in)	900 mm (35.43 in)
Height	320 mm (12.60 in)	320 mm (12.60 in)
Height (with extension)	320 mm (12.60 in)	335 mm (13.18 in)
Ground Clearance	35 mm (1.37 in)	35 mm (1.37 in)

**Capacity**

Weight	260kg (573 lbs)	410kg (903 lbs)
Max. Load Capacity	600kg (1,322 lbs)	600kg (1,322 lbs)
Load Surface	1,380x900 mm (54.33x35.43 in)	1,200x720 mm (47.24x28.34 in)

**Function**

Lifting Height	-	60 mm (2.36 in)
----------------	---	-----------------

**Performance**

Navigation Mode	Natural/Road Network/Hybrid/Follow
Positioning Mode	Laser SLAM/Visual Tag/Visual Semantics

**Communication**

Wi-Fi (IEEE 802.11a/b/g/n/ac)	Yes
Wi-Fi (IEEE 802.11ax)	Optional
Cellular Network (Public 4G/5G)	Optional
Cellular Network (Private LTE)	Optional

**Power**

Endurance	~8 hrs per charge
Battery Type	Li-LFP
Charging Mode	DC CC-CV
Battery Swap	Yes

**Sensors**

LIDAR	2
UWA Cameras (front)	1
UWA Cameras (side)	2
3D Cameras	2
Odometer	1
IMU	1

**Interaction**

Audio	Yes
Lights	4 [four sides]
Screen	Yes

**Safety**

Safety Contact Edge	4 [front/rear/side]
Emergency Stop Button	2 [front/rear]



# Better Performance Better Value



## Sales

1300-474-246

## Contact Email

[sales@richmondau.com](mailto:sales@richmondau.com)

## Website

[www.richmondau.com](http://www.richmondau.com)



## Media

[oversea@forwardx.com](mailto:oversea@forwardx.com)

## PR

[oversea@forwardx.com](mailto:oversea@forwardx.com)


## Website

[www.forwardx.com](http://www.forwardx.com)

 [Richmond Wheel & Castor Co.](#)

 [@RichmondCastors](#)

 [richmondwheelandcastors](#)

 [ForwardX Robotics](#)

 [ForwardX Robotics](#)

 [@ForwardX\\_US](#)